

# ZINC OXIDE SPRAY

Skin protection ointment for spraying

DATA  
SHEET



## USES

Zinc Oxide Spray is used as a skin protection ointment.

The ointment dries and forms an air-permeable protective film. The skin is protected against wound secretion, sweat, urine, water and other harmful influences.

Also suitable for covering the surrounding skin areas of fistulas and as skin protection before applying plaster casts.

## BENEFITS

- Suitable for multiple-species use
- Assists wound disinfection
- Protects against skin dehydration
- Provides skin and wound protection and supports natural skin regeneration
- Forms an air-permeable protective film
- Protects skin against wound secretion
- Protects affected skin area against common irritants and moisture
- Ideal for use in hard-to-bandage areas


LIST No	UNIT PACKAGE	CASE SIZE
1ZIN014	200ml	12

For full usage instructions, see overleaf



# Zinc Oxide Spray

Skin protection ointment for spraying



## USE OF THE SUBSTANCE/MIXTURE

Pet care, professional uses.

## PHYSICAL STATE

White liquid. Odour like gasoline.

## FIELD OF APPLICATION

Zinc Oxide Spray is used as a skin protection ointment. The active ingredient dries and forms an air-permeable protective film. The skin is protected against wound secretion, sweat, urine, water and other harmful influences. Also suitable for covering the surrounding skin areas of fistulas and as skin protection before applying plaster casts.

## INSTRUCTIONS FOR USE

Shake vigorously before use.  
Smooth out skin wrinkles beforehand.  
Spray from a distance of 10 to 20 cm onto clean and dry skin.

## HAZARD AND PRECAUTIONARY STATEMENTS

- Extremely flammable aerosol.
- Pressurised container: May burst if heated.
- Causes skin irritation.
- May cause drowsiness and dizziness.
- Toxic to aquatic life with long lasting effects.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition source.
- No smoking.
- Do not spray on an open flame or other ignition source.
- Do not pierce or burn, even after use.
- Avoid release to the environment.
- Use only outdoors or in well-ventilated area.
- Protect from sunlight. Do not expose to temperatures exceeding 50°C/122 °F.
- Inadequate ventilation and/or use can lead to the formation of explosive gases/ highly flammable mixtures possible. Extremely flammable aerosol.
- Aspiration hazard - May be fatal if swallowed and enters airways. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Do not breathe gas/fumes/vapour/spray.
- The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## CONTAINS

- Spray solution 79 g (100 g spray solution includes: Zinc oxide 18 g, Lanolin 2 g, Allantoin 500 mg).
- Propellant 61 g  
Hydrocarbons, C6-C7, isoalkanes, cyclenes, < 5% n-hexane,  
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclenes,  
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, < 5% n-hexane,  
Hydrocarbons, C6, isoalkanes, < 5% n-hexane.

## PROTECTIVE AND HYGIENE MEASURES

- Wear eye protection/face protection. Suitable eye protection: Eyeglasses with side protection DIN EN 166
- Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.
- Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

## MARKETED IN IRELAND BY

**Bimeda Animal Health Ltd,**  
2,3,4 Airton Close, Airton Road,  
Tallaght, Dublin 24.  
Lo Call 1850 51 52 53

## MARKETED IN THE UK BY

**Bimeda UK, Unit 2,**  
Bryn Cefni Industrial Park, Llangefni,  
Anglesey, LL777XA  
01248 725 400

## PRODUCT CLASSIFICATION

**OTC Care Product**

TAKE TIME



OBSERVE LABEL  
DIRECTIONS

**Bimeda.ie**

**Bimeda.co.uk**

Bimeda data sheet created: August 2021